



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The -1

AMEYA TOWNHOMES PRIVATE LIMITED

Ameya Townhomes Private Limited. Yashwant County , Behind Western
Inn Hotel , OPP. D- Mart , Babhola Naka Vasai Road West , Tal: Vasai -
401201

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/422345/2023 dated 12 Sep 2023. The particulars of the
environmental clearance granted to the project are as below.

1. EC Identification No.	EC24B038MH139540
2. File No.	SIA/MH/INFRA2/422345/2023
3. Project Type	Expansion
4. Category	B
5. Project/Activity including Schedule No.	8(a) Building and Construction projects
6. Name of Project	Ameya Townhomes Private Ltd.
7. Name of Company/Organization	AMEYA TOWNHOMES PRIVATE LIMITED
8. Location of Project	MAHARASHTRA
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 23/07/2024

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/422345/2023
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Ameya Township Pvt. Ltd.,
Village: Sandor; Taluka: Vasai,
District: Palghar.

Subject : Environment Clearance for Proposed building & construction project at Plot Bearing S. No. 230, H.Nos. 1/1, 1/2, 1/3, 2/1, 2/2, 3/1, 3/2, 3/3, 5, 6/1, 6/2, 7/1, 7/2, 8/1, 8/2: S. No. 231, H. No. 1/1, 1/2, 1/3, 2, 3, 4, 5, 6, 7, 8, 9 (pt.) S.No. 235, H No. 1/2, 2/1, 2/2, 2/3, 3/1, 3/2, 3/3, 4/1, 4/2, 4/3, 4/4, 5/1, 5/2, 5/3, 6/1, 6/2, 7, 8/1, 8/2, 9, 10/1, 10/2, 11/1, 11/2: S. No. 236, H.No. 1, 2, 3, 7, 8, 11/1, 11/2, 12/1, 12/2, 13/1, 13/2, 14/1, 14/2, 15, 16, 17, 18/1, 18/2, 19/1, 19/2, 20/1, 20/2, 20/3, 21/1, 21/2, 22/1, 22/2, 23/1, 23/2, 23/3, 23/4, 24/1, 24/2, 25/1, 25/2, 27/1, 27/2, 27/3, 28/1, 28/2, 28/3, 29/1, 29/2, 29/3 at Village: Sandor; Taluka: Vasai District: Palghar by M/s. Ameya Township Pvt. Ltd.

Reference : Application no. SIA/MH/INFRA2/422345/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 222nd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 276th meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 24th June, 2024.

2. Brief Information of the project submitted by you is as below:-

Sr. No	Description	Details	
1	Proposal Number	SIA/MH/INFRA2/422345/2023	
2	Name of Project	M/s. Ameya Townhomes Private Limited	
3	Project category	8a (B2)	
4	Type of Institution	Partnership	
5	Project Proponent	Name	Mr. Sunil Moreshwar Acholkar
		Regd. Office address	S. No 230/231 B Wing Bldg. 1 Ameya Townhomes Behind Vasai Palghar Vasai-Virar City (M Corp) Vasai Dist. Palghar - 401201
		Contact number	9890238505
		e-mail	yogeshsagrani@gmail.com
6	Consultant	EIA Coordinator: Mr. Sourabh Jaiswar Pollution and Ecology Control Services,	

		NABET/EIA/2023/SA 0165 valid upto 16.10.2025					
7	Applied for	Expansion					
8	Location of the project	Plot Bearing S. No. 230, H.Nos. 1/1, '1/2, 1/3, 2/1, 2/2, 3/1, 3/2, 3/3, 5, 6/1, 6/2, 7/1, 7/2, 8/1, 8/2: S. No. 231, H. No. 1/1, '1/2, 1/3, 2, 3, 4, 5, 6, 7, 8, 9 (pt.) S.No. 235, H.No. ½, 2/1, 2/2, 2/3, 3/1, 3/2, 3/3, 4/1, 4/2, 4/3, 4/4, 5/1, 5/2, 5/3, 6/1, 6/2, 7, 8/1, 8/2, 9, 10/1, 10/2, 11/1, 11/2: S. No. 236, H.No. 1, 2, 3, 7, 8, 11/1, 11/2, 12/1, 12/2, 13/1, 13/2, 14/1, 14/2, 15, 16, 17, 18/1, 18/2, 19/1, 19/2, 20/1, 20/2, 20/3, 21/1, 21/2, 22/1, 22/2, 23/1, 23/2, 23/3, 23/4, 24/1, 24/2, 25/1, 25/2, 27/1, 27/2, 27/3, 28/1, 28/2, 28/3, 29/1, 29/2, 29/3 at Village: Sandor; Taluka: Vasai District: Palghar					
9	Latitude and Longitude	19°21'46.08"N & 72°52'50.76"E					
10	Plot Area (sq.m)	40186.00					
11	Deductions (sq.m.)	17581.61					
12	Net Plot area (sq.m.)	22604.39					
13	Ground coverage (m ²) & %	6870.71 & 17.09 %					
14	FSI Area (sq.m.)	1,03,341.73					
15	Non-FSI (sq.m.)	12,716.89					
16	Proposed built-up area (FSI + Non FSI) (sq.m.)	1,16,058.62					
17	TBUA (m ²) approved by Planning Authority till date	Applied.					
18	Earlier EC details with Total Construction area, if any.	Environment Clearance for BUA 93,857.15 sq.mt vide letter No. F. No. 21-9/2017-IA-III, Dated. 06.11.2017					
19	Construction completed as per earlier EC (FSI + Non FSI) (sq.m.)	27,289.45					
20	Previous EC / Existing Building			Proposed Configuration			Remark
	Building Name	Config.	Height (m)	Building Name	Config.	Height (m)	
				1 Wing A	Gr./Stilt+P+7	24.00	Newly Added
				1 Wing B	Gr/ST+ P+ 20	69.95	Newly Added
	1 Wing C	Gr/ST+ P+ 17	57.75	1 Wing C	ST+ P+ 20	69.95	Vertical Expansion
	1 Wing D	Gr/ST+ P+ 17	57.75	1 Wing D	ST+ P+ 20	69.95	Vertical Expansion
	1 Wing E	ST+ P+ 17	57.75	1 Wing E	ST+ P+ 20	69.95	Vertical Expansion
	1 Wing F	ST+ P+ 17	57.75	1 Wing F	ST+ P+ 20	69.95	Vertical Expansion
	1 Wing G	ST+ P+ 17	57.75	1 Wing G	ST+ P+ 20	69.95	Vertical Expansion

	1 Wing H	ST+ P+ 17	57.75	1 Wing H	ST+ P+ 20	69.95	Vertical Expansion
	1 Wing I	ST+ P+ 17	57.75	1 Wing I	ST+ P+ 20	69.95	Vertical Expansion
	Bldg 2	ST+ 4	14.10	Bldg 2	ST+ 7 floors	24.00	Vertical Expansion
	Bldg 3	B+Gr+4	19.20	Bldg 3	B+Gr+5	23.40	Vertical Expansion
	4 Wing A	Gr+P+21	69.35				Deleted
	4 Wing B	Gr+P+21	69.35	4 Wing B	Gr+ 2P+21	69.95	Change in Plan
	4 Wing C	Gr+P+21	69.35	4 Wing C	Gr+ 2P+21	69.95	Change in Plan
	4 Wing D	Gr+P+21	69.35	4 Wing D	Gr+ 2P+21	69.95	Change in Plan
				4 Wing E	ST+P+20	69.95	Newly added
				4 Wing F	ST+P+20	69.95	Newly added
				Bldg 5	Ground Only	4.80	Newly added
				Bldg 6	Ground Only	4.80	Newly added
				Bldg 7	Ground Only	4.80	Newly added
	CFC	ST+4	18.60	CFC	ST+7	29.90	Vertical Expansion
21	No. of Tenements & Shops			Flats:1309 No's, Shops: 79 No's, Office: 03 Nos. Hall :09 Nos.			
22	Total Population			6702 No's			
23	Total Water Requirements CMD			925			
24	Under Ground Tank (UGT) location			Below Ground			
25	Source of water			VVMC			
26	Total STP Capacity & Technology			890 KLD & MBBR Technology			
27	STP Location			Below Ground			
28	Sewage Generation CMD & % of sewage discharge in sewer line			794 & 46.7			
29	Solid Waste Management during Construction Phase			Type	Quantity (Kg/d)	Treatment / disposal	
				Dry waste	210	Local recyclers	
				Wet waste	224	Local recyclers	
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed			Type	Quantity (Kg/d)	Treatment / disposal	
				Dry waste	2011 kg/day	Hand over to local recyclers	
				Wet waste	1340 kg/day	Treated in OWC	
				E-Waste	10 Kg	Authorize vendor	

		STP Sludge	25 kg	Used as Manure.						
31	R.G. Area in sq.m.	RG required – 2260.44 sq.mt. RG provided on ground – 2260.44 sq.mt RG provided on podium – 323.29 sq.mt Total – 2583.73 sq.mt Existing trees on plot: Nil Number of trees to be cut: Nil Number of trees to be transplanted: Nil Number of trees to be planted: a) In RG area: 285 Nos. b) Miyawaki Plantation: 339 Nos. (113 sq.mt) Total Nos. of trees after the development: 624 nos.								
32	Power requirement	During Operation Phase: <table border="1"> <tr> <td>Details</td> <td></td> </tr> <tr> <td>Connected load (kW)</td> <td>7180 kW</td> </tr> <tr> <td>Demand load (kW)</td> <td>4341 kW</td> </tr> </table>			Details		Connected load (kW)	7180 kW	Demand load (kW)	4341 kW
Details										
Connected load (kW)	7180 kW									
Demand load (kW)	4341 kW									
33	Energy Efficiency	a) Total Energy saving (%): 22.0 % b) Solar energy (%): 5.0 %								
34	D.G. set capacity	5x125 KVA, 5x100KVA, 2x20KVA, 2x15 KVA								
35	No. of 4-W & 2-W Parking with 25% EV	2 Wheelers - 1610 Nos. 4 Wheelers – 547 Nos.								
36	No. & capacity of Rain water harvesting tanks /Pits	225 cum								
37	Project Cost in (Cr.)	300.00 Cr.								
38	EMP Cost	a) Construction Phase: 1.Capital Cost: Rs. 16.55 Lakhs. 2.O & M Cost: Rs. 10.68 Lakhs/Annum. b) Operation Phase: 1.Capital Cost: Rs. 721.83 Lakhs. 2.O & M Cost: Rs. 54.20 Lakhs/Annum.								
39	CER Details with justification if any....as per MoEF&CC circular dated 01/05/2018	--								
40	Details of Court Cases /litigations w.r.t the project and project location, if any.	--								

The comparative statement showing the project details as per earlier EC and proposed project is as follow:

Sr. No.	Project Details	Details as per Earlier EC	Propose Expansion
1	Plot area	36408.75 sq.mt	40186.00 sq.mt
2	Proposed FSI area	52691.21 sq.mt	103341.73 sq.mt
3	Non FSI area	41165.95 sq.mt	12716.89 sq.mt

4	Total Built up area	93857.15 sq.mt	116058.62 sq.mt		
5	Building Configuration	Building	Configuration	Building	Configuration
				1 Wing A	Gr./Stilt+P+7
				1 Wing B	Gr/ST+ P+ 20
		1 Wing C	Gr/ST+ P+ 17	1 Wing C	ST+ P+ 20
		1 Wing D	Gr/ST+ P+ 17	1 Wing D	ST+ P+ 20
		1 Wing E	ST+ P+ 17	1 Wing E	ST+ P+ 20
		1 Wing F	ST+ P+ 17	1 Wing F	ST+ P+ 20
		1 Wing G	ST+ P+ 17	1 Wing G	ST+ P+ 20
		1 Wing H	ST+ P+ 17	1 Wing H	ST+ P+ 20
		1 Wing I	ST+ P+ 17	1 Wing I	ST+ P+ 20
		Bldg 2	ST+ 4	Bldg 2	ST+ 7 floors
		Bldg 3	B+Gr+4	Bldg 3	B+Gr+5
		4 Wing A	Gr+P+21		
		4 Wing B	Gr+P+21	4 Wing B	Gr+ 2P+21
		4 Wing C	Gr+P+21	4 Wing C	Gr+ 2P+21
		4 Wing D	Gr+P+21	4 Wing D	Gr+ 2P+21
				4 Wing E	ST+P+20
				4 Wing F	ST+P+20
				Bldg 5	Ground Only
				Bldg 6	Ground Only
		Bldg 7	Ground Only		
	CFC	ST+4	CFC	ST+7	
6	No. of Tenements	Flats: 1192, Shops: 57	Flats: 1309 No's, Shops: 79 No's, Office: 03 Nos., Hall: 09 Nos.		
7	Expected Users	6199 No's	6702No's.		
8	Total Water Requirement	815 KLD	925 KLD		
9	Wastewater generated	652 KLD	794 KLD		
10	Total STP capacity	360 & 340 KLD	460 & 430 KLD		
11	Solid waste generation	1836 Kg/day	3351 Kg/day		
12	No. of Parking's	4 Wheelers: 687 No's 2 Wheelers: 1227 No's	4 Wheelers: 547 No's 2 Wheelers: 1610 No's		

3. Proposal is an expansion of existing construction project. Project had received earlier Environment Clearance vide F. No. 21-9/2017 IA III dated: 06-11-2017 for plot area of 36,408.75 Sq.Mtrs., FSI area of 52,691.21 Sq.Mtrs., Non-FSI area of 40,165.94 Sq.Mtrs. and Total Construction Area of 93,857.15 Sq.Mtrs. Proposal has been considered by SEIAA in its 276th meeting held on 24th June, 2024 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra showing required RG area on mother earth as per Hon'ble Supreme Court order.
2. PP to obtain following NOCs & remarks as per amended planning:
 - a) SWD NOC; b) CFO NOC for Wing-E & F of Buildg-4; c) Nalla Remarks.
3. PP to ensure compliance of observations mentioned in certified compliance report dated: 09.10.2023 for earlier EC received from Regional Office, MOEF&CC, Nagpur.
4. Planning authority to ensure that assured water supply provision, storm water drainage and Sewerage line facilities are made available within the vicinity of the project before issuing Occupation Certificate to the project.
5. PP to obtain NOC of Wetland authority/competent authority for proposed construction, if required.
6. PP to reduce discharge of treated water up to 35%; PP to submit undertaking from concerned authority/ agency/third party for use of excess treated water generated in the project.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 2260.44 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. This EC excludes the Wing G, H and I of building no 1 as PP has not obtained the CFO NOC for the same.
3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
6. SEIAA after deliberation decided to grant EC for-FSI-103341.73 m², Non FSI-12716.89 m², total BUA-1,16,058.62 m². (Plan approval No-VVCMC/TP/2488/2023-24, dated-01.11.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring

communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.

- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all

proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that

the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in

- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent

has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Palghar.
6. Commissioner, Vasai Virar City Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Thane.